



# BV - HFO ISO 8217

*HFO 380 Cst – February 15, 2026*



**BUREAU  
VERITAS**

In February 2026, the independent and accredited laboratory Bureau Veritas analyzed a sample of Heavy Fuel Oil 380 treated with **XBEE Enzyme Fuel Technology**. The analysis demonstrated that such fuel, also known as HFO 380, remains in compliance with the ISO 8217:2017 standard.

**Conclusions:**

*Testing was performed after laboratory hand-blend XBEE fuel treatment at 4,000:1 XBEE, followed by a two-week retention period at constant temperature. The tested sample, blended with XBEE technology copes with the specification limits of RMG 380 grade specifications according to ISO 8217:2017 standard.*

Analyses	Methods	Without XBEE	With XBEE	Units	Limits
Density at 15°C	ASTM D 4052	956.8	956.8	kg/m <sup>3</sup>	991.00 max
Micro carbon residue	ASTM D 4530	11.9	11.9	% m/m	18.00 max
Viscosity at 50°C	ASTM D 445	633.9	646.9	mm <sup>2</sup> /s	-
Flash point PM – Proc. B	ASTM D 93	>110.0	>110.0	°C	60 min
Sulphur content (EDF)	EN ISO 8754	1.84	1.83	% m/m	1.50 max
Ash content	ASTM D 482	0.039	0.062	% m/m	0.10 max
Water by distillation	ASTM D 95	<0.05	0.05	% v/v	0.50 max
Pour point	ASTM D 97	+24	+24	°C	30 max
Acid number	ASTM D 664	0.10	0.10	mgKOH/g	2.5 max
Hydrogen sulphide	IP 570-Proc. A	<0.60	<0.60	mg/kg	2.00 max
CCAI	Ref. Annex F	813	813	quotation	870.00 max
Total sediment - Potential	ISO 10307-2	0.01	0.02	% m/m	0.10 max
Aluminum (Al) + Silicon (Si)	IP 501	<15	<15	mg/kg	60 max
Sodium (Na)	IP 501	40	38	mg/kg	100 max
Calcium (Ca)	IP 501	3	3	mg/kg	30 max
Zinc (Zn)	IP 501	18	17	mg/kg	15 max
Vanadium (Va)	IP 501	97	102	mg/kg	350 max
Phosphorous	IP 501	3	<1	mg/kg	15 max

# Annexes

Original reports

Bureau Veritas Commodities Antwerp NV  
Romeynsweel 14  
2030 Antwerp  
Belgium

T: +32 (0)3 546 08 88  
E: [labco@bureauveritas.com](mailto:labco@bureauveritas.com)  
[commodities.bureauveritas.com](http://commodities.bureauveritas.com)



**BUREAU  
VERITAS**



## Certificate of Analysis

Our ref	<b>BEANT-25-11573-XXV1999882</b>	Asset	<b>Submitted Sample</b>
Location	<b>Not specified</b>	Seals	<b>None</b>
Product	<b>HFO 380</b>	Packed	<b>Plastic</b>
Reference id	<b>XBEE</b>	Submitted by	<b>Ourselves</b>
Sample received	<b>13-02-2026</b>	End of analysis	<b>15-02-2026</b>
Subject	<b>Submitted samples</b>		
Sample from	<b>Sample as received</b>		

Test	Method	Unit	Result
Density at 15 °C (a)	ASTM D4052	kg/m <sup>3</sup>	956.8
Micro Carbon Residue	ASTM D4530	% m/m	11.9
Viscosity at 50 °C (a)	ASTM D445	mm <sup>2</sup> /s	633.9
Flash Point PM - Proc. B (a)	ASTM D93	Deg C	>110
Sulphur (EDF) (a)	EN ISO 8754	% m/m	1.84
Ash Content	ASTM D482	% m/m	0.039
Water by Distillation	ASTM D95	% v/v	<0.05
Pour Point	ASTM D97	Deg C	24
Acid number	ASTM D664	mg KOH/g	0.10
Hydrogen Sulphide	IP 570 - Proc. A	mg/kg	<0.60
CCAI	ref Annex F		813
Total Sediments - Potential	ISO 10307-2	% m/m	0.01
Metals	IP 501	-	-
Vanadium (V) - ICP	-	mg/kg	97
Sodium (Na) - ICP	-	mg/kg	40
Aluminium (Al) - ICP	-	mg/kg	5
Silicon (Si) - ICP	-	mg/kg	<10
Aluminium + Silicon (Al+Si)	-	mg/kg	<15
ULO metals content (a)	-	-	free of
_Zinc (Zn) - ICP	-	mg/kg	18
_Phosphorus (P) - ICP	-	mg/kg	<1
_Calcium (Ca) - ICP	-	mg/kg	3

Unless specified, the latest version at our disposal of the test methods has been used.  
The results relate only to the items tested.

AUTHORIZATION

Dario D'Heldt (Chemist)

Certified to ISO 9001  
Trade Register Antwerp 333.309  
VAT nr. BE 0465.326.123

All tests marked by (a)  
are accredited by  
BELAC ref. 486-TEST  
ISO/IEC 17025



All services are rendered in accordance with Bureau Veritas's General Terms and Conditions of Business, available on request or at <https://commodities.bureauveritas.com/general-conditions-of-service>.  
Laboratory Measurement Uncertainties are not taken into account for the evaluation of specification limits. If product is outside method scope; precision and accuracy of result cannot be guaranteed.

Method Validation data is available upon request.

Bureau Veritas Commodities Antwerp NV  
Romeynsweel 14  
2030 Antwerp  
Belgium

T: +32 (0)3 546 08 88  
E: [labco@bureauveritas.com](mailto:labco@bureauveritas.com)  
[commodities.bureauveritas.com](http://commodities.bureauveritas.com)




**BUREAU  
VERITAS**



## Certificate of Analysis

Our ref	<b>BEANT-25-11573-XXV1999882</b>	Asset	<b>Submitted Sample</b>
Location	<b>Not specified</b>	Seals	<b>None</b>
Product	<b>HFO 380</b>	Packed	<b>Plastic</b>
Reference id	<b>XBEE</b>	Submitted by	<b>Ourselves</b>
Sample received	<b>13-02-2026</b>	End of analysis	<b>15-02-2026</b>
Subject	<b>Submitted samples</b>		
Sample from	<b>Sample as received</b>		



AUTHORIZATION

Dario D'Heldt (Chemist)

Certified to ISO 9001  
Trade Register Antwerp 333.309  
VAT nr. BE 0465.326.123

All tests marked by (a)  
are accredited by  
BELAC ref. 486-TEST  
ISO/IEC 17025



All services are rendered in accordance with Bureau Veritas's General Terms and Conditions of Business, available on request or at <https://commodities.bureauveritas.com/general-conditions-of-service>.  
Laboratory Measurement Uncertainties are not taken into account for the evaluation of specification limits. If product is outside method scope; precision and accuracy of result cannot be guaranteed.

Method Validation data is available upon request.

Bureau Veritas Commodities Antwerp NV  
Romeynsweel 14  
2030 Antwerp  
Belgium

T: +32 (0)3 546 08 88  
E: [labco@bureauveritas.com](mailto:labco@bureauveritas.com)  
[commodities.bureauveritas.com](http://commodities.bureauveritas.com)



**BUREAU  
VERITAS**



## Certificate of Analysis

Our ref	<b>BEANT-25-11573-XXV1999884</b>	Asset	<b>Submitted Sample</b>
Location	<b>Not specified</b>	Seals	<b>None</b>
Product	<b>HFO 380 with XBEE additive</b>	Packed	<b>Plastic</b>
Reference id	<b>XBEE</b>	Submitted by	<b>Ourselves</b>
Sample received	<b>13-02-2026</b>	End of analysis	<b>13-03-2026</b>
Subject	<b>Submitted samples</b>		
Sample from	<b>Sample as received</b>		

Test	Method	Unit	Result
Density at 15 °C (a)	ASTM D4052	kg/m <sup>3</sup>	956.8
Micro Carbon Residue	ASTM D4530	% m/m	11.9
Viscosity at 50 °C (a)	ASTM D445	mm <sup>2</sup> /s	646.9
Flash Point PM - Proc. B (a)	ASTM D93	Deg C	>110.0
Sulphur (EDF) (a)	EN ISO 8754	% m/m	1.83
Ash Content	ASTM D482	% m/m	0.062
Water by Distillation	ASTM D95	% v/v	0.05
Pour Point	ASTM D97	Deg C	24
Acid number	ASTM D664	mg KOH/g	0.10
Hydrogen Sulphide	IP 570 - Proc. A	mg/kg	<0.60
CCAI	ref Annex F		813
Total Sediments - Potential	ISO 10307-2	% m/m	0.02
Metals	IP 501	-	-
Vanadium (V) - ICP	-	mg/kg	102
Sodium (Na) - ICP	-	mg/kg	38
Aluminium (Al) - ICP	-	mg/kg	<5
Silicon (Si) - ICP	-	mg/kg	<10
Aluminium + Silicon (Al+Si)	-	mg/kg	<15
ULO metals content (a)	-	-	free of
_Zinc (Zn) - ICP	-	mg/kg	17
_Phosphorus (P) - ICP	-	mg/kg	<1
_Calcium (Ca) - ICP	-	mg/kg	3

Unless specified, the latest version at our disposal of the test methods has been used.  
The results relate only to the items tested.

AUTHORIZATION

Certified to ISO 9001  
Trade Register Antwerp 333.309  
VAT nr. BE 0465.326.123

Jonathan Van Hecke (Lab Shiftleader)

All tests marked by (a)  
are accredited by  
BELAC ref. 486-TEST  
ISO/IEC 17025



All services are rendered in accordance with Bureau Veritas's General Terms and Conditions of Business, available on request or at <https://commodities.bureauveritas.com/general-conditions-of-service>.  
Laboratory Measurement Uncertainties are not taken into account for the evaluation of specification limits. If product is outside method scope; precision and accuracy of result cannot be guaranteed.

Method Validation data is available upon request.

v.XXV1999884.13032026.1724

p.1/2

Bureau Veritas Commodities Antwerp NV  
Romeynsweel 14  
2030 Antwerp  
Belgium

T: +32 (0)3 546 08 88  
E: [labco@bureauveritas.com](mailto:labco@bureauveritas.com)  
[commodities.bureauveritas.com](http://commodities.bureauveritas.com)




**BUREAU  
VERITAS**



## Certificate of Analysis

Our ref	<b>BEANT-25-11573-XXV1999884</b>	Asset	<b>Submitted Sample</b>
Location	<b>Not specified</b>	Seals	<b>None</b>
Product	<b>HFO 380 with XBEE additive</b>	Packed	<b>Plastic</b>
Reference id	<b>XBEE</b>	Submitted by	<b>Ourselves</b>
Sample received	<b>13-02-2026</b>	End of analysis	<b>13-03-2026</b>
Subject	<b>Submitted samples</b>		
Sample from	<b>Sample as received</b>		



AUTHORIZATION

Certified to ISO 9001  
Trade Register Antwerp 333.309  
VAT nr. BE 0465.326.123

Jonathan Van Hecke (Lab Shiftleader)

All tests marked by (a)  
are accredited by  
BELAC ref. 486-TEST  
ISO/IEC 17025



All services are rendered in accordance with Bureau Veritas's General Terms and Conditions of Business, available on request or at <https://commodities.bureauveritas.com/general-conditions-of-service>.  
Laboratory Measurement Uncertainties are not taken into account for the evaluation of specification limits. If product is outside method scope; precision and accuracy of result cannot be guaranteed.

Method Validation data is available upon request.

v.XXV1999884.13032026.1724

p.2/2